







BATHROOM SAFETY

THE DYNAREX BARI +MAX HD MOBILE
SHOWER CHAIR PROVIDES A RELIABLE
SEATED OPTION FOR LARGER INDIVIDUALS
HHO REQUIRE ADDED SUPPORT. THE
SHOWER CHAIR INCLUDES A COMMODE
BUCKET HITH COVER. THE CHAIR FEATURES
AN ERGONOMIC DESIGN FOR OPTIMAL
COMFORT. THE SHOWER CHAIR FEATURES
EASY-ROLLING WHEELS FOR CONVENIENT
TRANSPORT AND IMPROVED MOBILITY. IDEAL
FOR A WIDE RANGE OF HOMECARE AND
INSTITUTIONAL HEALTHCARE ENVIRONMENTS.

- STEEL FRAME FOR OPTIMAL STABILITY
- POWDER CORTED FINISH PROVIDES LONG-LASTING PROTECTION

- CONSTRUCTED WITH A HEAVY-DUTY

- EQUIPPED WITH WHEELS FOR EASY MOBILITY
- EASY-RELEASE DROP-RRM MECHANISM Allows for safe lateral patient transfers
- INCLUDES COMMODE BUCKET WITH COVER
- BUCKET SLIDES IN FOR ADDED CONVENIENCE
- TOOL-FREE SETUP ALLOWS FOR EASY INSTALLATION
- WEIGHT CAPACITY 1000 LB.
- LIMITED LIFETIME WARRANTY
- HCPCS: E0240

HD MOBILE SHOWER CHRIRS

REORDER NO. 10379 - 26" REORDER NO. 10380 - 28"



SHOWER CHRIR WITH BRCK

REORDER NO. 10321 Reorder no. 10321-4 (4 count)

SHOWER CHAIR WITHOUT BACK

REORDER NO. 10325 Reorder no. 10325-4 (4 count)

TUB TRANSFER BENCH

REORDER NO. 10328 Reorder no. 10328-4 (4 count)



- CONSTRUCTED HITH A CORROSION-PROOF ALUHINUM FRAME HITH BLON-MOLDED PLASTIC SERT AND BACK
- CROSS-BRACE DESIGN PROVIDES ADDITIONAL SUPPORT
- SEAT FEATURES DRAINAGE HOLES AND INTEGRATED HAND GRIPS FOR ADDED SECURITY
- ANGLED LEGS HITH RUBBER TIPS FOR ADDED STABILITY
- LIGHTHEIGHT FOR ERSY MOVEMENT
- TOOL-FREE ASSEMBLY AND HEIGHT ADJUSTMENT IN 1-INCH INCREMENTS
- BACK IS REMOVABLE FOR ADDED CONVENIENCE
- COMES IN RETAIL-FRIENDLY PACKAGING
- WEIGHT CAPACITY 500 LB.
- LIMITED LIFETIME WARRANTY
- HCPCS: E0240



- CONSTRUCTED WITH A CORROSION-PROOF RLUMINUM FRAME AND BLOW-HOLDED PLASTIC SEAT
- CROSS-BRACE DESIGN PROVIDES ADDITIONAL SUPPORT
- SERT FERTURES DRAINAGE HOLES AND INTEGRATED HAND GRIPS FOR ADDED SECURITY
- ANGLED LEGS WITH RUBBER TIPS FOR ADDED STABILITY
- LIGHTHEIGHT FOR EASY MOVEMENT
- TOOL-FREE ASSEMBLY AND HEIGHT
- ADJUSTMENT IN 1-INCH INCREMENTS
- COMES IN RETAIL-FRIENDLY PACKAGING
- WEIGHT CAPACITY 500 LB.
- LIMITED LIFETIME WARRANTY
- HCPCS: E0245



- CONSTRUCTED HITH A CORROSION-PROOF ALUMINUM FRAME
- BLOH-HOLDED PLASTIC SEAT FEATURES
 DRAINAGE HOLES TO HINIMIZE SLIPPAGE
- ANGLED LEGS INCLUDE SUCTION-STYLE TIPS ON ONE SIDE
- SPECIALTY COLLAR ALLOWS LEGS TO BE REMOVED HITHOUT READJUSTING THE HEIGHT
- REVERSIBLE DESIGN ACCOMMODATES ANY BATHROOM
- TOOL-FREE ASSEMBLY AND HEIGHT ADJUSTMENT
- BENCH COMES IN RETAIL-FRIENDLY PACKAGING
- WEIGHT CAPACITY 500 LB.
- LIMITED LIFETIME WARRANTY
- HCPCS: E0248

BATHROOM SAFETY

THE DYNAREX BARI+HAX BARIATRIC HD DROP ARM COMMODE IS A CONVENIENT, MULTI-FUNCTIONAL COMMODE. THE COMMODE IS DESIGNED WITH A DROP-ARM FEATURE TO ALLOW FOR SAFE LATERAL PATIENT TRANSFERS. THE COMMODE IS HEIGHT-ADJUSTABLE TO ACCOMMODATE A VARIETY OF PATIENTS.

- CONSTRUCTED FROM HERVY-DUTY.

POWDER-CORTED STEEL

- ERSY-RELEASE DROP-ARM MECHANISM
 ALLOWS FOR SAFE LATERAL PATIENT TRANSFERS
- HEIGHT-ADJUSTABLE TO SUIT A VARIETY OF PATIENTS
- INCLUDES COMMODE BUCKET WITH COVER
- BUCKET SLIDES IN FOR ADDED CONVENIENCE
- TOOL-FREE SETUP ALLOWS FOR EASY INSTALLATION
- WEIGHT CAPACITY: 1000 LB.
- LIMITED LIFETIME WARRANTY
- HCPCS:: E0168

HD DROP ARM COMMODES

REORDER NO. 10377 - 26" REORDER NO. 10378 - 30"



FOLDING COMMODE

REORDER NO. 10374 - 24"

DROP ARM COMMODE


REORDER NO. 10375 - 24"



- VERSATILE, THREE-IN-ONE COMMODE OPENS ERSILY AND FOLDS FLAT
- CAN BE CONFIGURED AS A COMMODE, RAISED TOILET SEAT, OR TOILET SAFETY FRAME OVER EXISTING TOILETS
- DURABLE STEEL FRAME FOR IMPROVED SUPPORT AND STABILITY
- INCLUDES COMMODE BUCKET AND COVER
- PLASTIC ARMRESTS FOR ADDED COMFORT
- TOOL-FREE SETUP AND HEIGHT ADJUSTMENT
- COMES IN RETAIL-FRIENDLY PACKAGING
- COUES TH KE LUTE-LETERINEL SUCKURT
- WEIGHT CAPACITY 650 LB.
- LIMITED LIFETIME WARRANTY
- HCPCS: E0168



- DURABLE STEEL FRAME FOR IMPROVED SUPPORT AND STABILITY
- EASY-RELEASE DROP-ARM MECHANISM ALLOWS For safe lateral patient transfers
- INCLUDES BUCKET HITH HANDLE AND SPLASH GUARD
- BUCKET SLIDES IN FOR ADDED CONVENIENCE
- TOOL-FREE SETUP AND HEIGHT ADJUSTMENT
- COMES IN RETAIL-FRIENDLY PACKAGING
- WEIGHT CAPACITY 650 LB.
- LIMITED LIFETIME WARRANTY
- HCPCS: E0168



6 BARIATRIC BARIATRIC 7

WHEELCHAIRS

WHEELCHRIRS WITH ELEVATING LEG REST

REORDER NO. 10233 - 22" × 18" REORDER NO. 10234 - 24" × 18"



THE DYNAREX BARI+MAX WHEELCHAIR WITH ELEVATING LEG REST PROVIDES RELIABLE SUPPORT AND IMPROVED MOBILITY FOR LARGER USERS. THE HEAVY-DUTY STEEL FRAME WITH DUAL CROSS BRACE FOR EXTRA SUPPORT ALLOWS PATIENTS TO FEEL SECURE AND STABLE. THE WHEELCHAIR IS EQUIPPED WITH TOOL-FREE ADJUSTABLE ELEVATING LEG RESTS WITH PADDED CALF PADS, AND DETACHABLE ARMS WITH PADDED ARM RESTS.

- POWDER-CORTED STEEL FRAME FOR

ING-LASTING FINISH PROTECTION

- DETACHABLE DESK-LENGTH ARM REST FOR ADDED VERSATILITY
- PADDED ARM RESTS PROVIDE IMPROVED COMFORT
- BLACK, PADDED, DOUBLE-EMBOSSED VINYL UPHOLSTERY
- DUAL-AXLE PROVIDES ADJUSTMENT FROM Standard Height to Hemi Level
- TOOL-FREE, ADJUSTABLE, ELEVATING LEG RESTS HITH PADDED CALF PADS AND EXTRA-HIDE FOOT PLATES
- 24 COMPOSITE REAL WHEELS WITH SOLID RUBBER TIRES
- PUSH-TO-LOCK BRAKES
- INCLUDES BUILT-IN CHART POCKET For added convenience
- 10233 22 × 18 SEQT
- 0234: 24 × 18 SERT
- WEIGHT CAPACITY 500 LB.
- LIMITED LIFETIME WARRANTY
- HCPCS: K0007 + E0990 OR K0195



WHEELCHAIRS

HD WHEELCHRIRS WITH ELEVRTING LEG REST

REORDER NO. 10290 – 26" \times 20" REORDER NO. 10291 – 26" \times 20" REORDER NO. 10292 – 30" \times 20" REORDER NO. 10293 – 32" \times 70"



THE DYNAREX BARI +MAX HD HHEELCHAIR HITH ELEVATING LEG REST IS DESIGNED TO PROVIDE SAFE, EFFECTIVE MOBILITY FOR THOSE REQUIRING ADDED SUPPORT HITHOUT SACRIFICING COMFORT. THE WHEELCHAIR FERTURES HEAVY-DUTY STEEL CONSTRUCTION HITH DUAL CROSS BRACE FOR ADDED SECURITY AND STABILITY. A STURDY LEG REST HITH EXTRA-WIDE FOOT PLATE HITH PADDED CALF PADS IS ALSO RVAILABLE FOR ADDED VERSATILITY.

- POWDER-CONTED STEEL FRAME

WITH DUAL CROSS BRACE

- DETACHABLE DESK-LENGTH PADDED ARMRESTS
- BLACK PADDED NYLON UPHOLSTERY PROVIDES OPTIMAL COMFORT
- 24" COMPOSITE REAL WHEELS WITH SOLID RUBBER TIRES
- PUSH-LOCK BRAKES
- ADJUSTABLE ELEVATING LEG REST IS TOOL-FREE FOR ERSY MAINTENANCE
- HERVY-DUTY LEG REST WITH EXTRA-WIDE FOOT PLATE AND PADDED CALF
- INCLUDES BUILT-IN CHART POCKET FOR ADDED CONVENIENCE

- 10290, 10291 AND 10292: WEIGHT CAPACITY 600 LB.

- 10293: WEIGHT CAPACITY 700 LB.
- LIMITED LIFETIME WARRANTY
- HCPCS: 10290 K0007 + E2202 + E2203
- + E0990 OR K0195 / 10291-10293 K0007
- + E2203 + K0108 + E0990 OR K0195

HHEELCHAIR IS EQUIPPED WITH DETACHABLE DESK-LENGTH ARMRESTS AND SWING-AWAY FOOTRESTS FOR ADDED VERSATILITY.

- DESIGNED WITH STURDY STEEL FRAME AND

THE DYNAREX BARI+MAX TRANSPORT

WHEELCHAIR IS DESIGNED TO PROVIDE SAFE.

EFFECTIVE TRANSPORT FOR LARGER USERS.

THE TRANSPORT WHEELCHAIR FEATURES A

COMPACT DESIGN WITH FOLDABLE BACK FOR

FEATURES DURABLE STEEL CONSTRUCTION WITH

DUAL CROSS BRACE FOR OPTIMAL STABILITY. THE

ADDED CONVENIENCE. THE WHEELCHAIR

DUAL CROSS BRACE FOR RELIABLE SUPPORT

- FEATURES FOLDABLE BACK FOR CONVENIENT STORAGE AND TRANSPORT
- TOOL-FREE, SWING-AWAY FOOTRESTS ALLOW FOR ADDED VERSATILITY
- DETACHABLE DESK-LENGTH ARMREST
- EQUIPPED WITH 12-INCH REAR WHEELS WITH PUSH-LOCK WHEEL BRAKES
- POWDER-COATED FINISH PROVIDES
 LONG-LASTING PROTECTION
- BLACK-PADDED NYLON UPHOLSTERY HITH CHART POCKET FOR ADDED CONVENIENCE
- WEIGHT CAPACITY 450 LB.
- LIMITED LIFETIME WARRANTY
- HCPCS: E1039

TRANSPORT WHEELCHAIR

REORDER NO. 10244 - 22" × 18"





WHEELCHAIRS

RECLINING WHEELCHAIRS WITH ELEVATING LEG REST

REORDER NO. 15015-24DELR - 24" \times 20" reorder no. 15015-26DELR - 26" \times 20" reorder no. 15015-28DELR - 28" \times 20"



THE DYNAREX BARI+MAX BARIATRIC RECLINING WHEELCHAIR WITH ELEVATING LEG REST OFFERS THE THE ELCHNIK WITH ELEVHITING LEG REST UPPERS THE
DURABILITY OF A HERVY-DUTY HHEELCHAIR FRAME WITH
THE ADDED VERSATILITY AND COMFORT OF A FULL RECLINING
BACK. THE STEEL CONSTRUCTION WITH HYDRAULIC
RECLINING MECHANISM ALLOWS FOR INFINITE ADJUSTMENTS
UP TO 180 DEGREES AND INCLUDES A LOCKING BACK
ROATO WEED THE ROCK DEST FROM HOMMOUNTER. BAR TO KEEP THE BACK REST FROM HAMMOCKING. ELEVATING LEG RESTS WITH PADDED CALF PADS.

- DESIGNED WITH DURL CROSS BRACE FOR OPTIMAL SUPPORT
- POWDER-CONTED STEEL FRAME
- DETACHABLE PADDED ARMRESTS
- BLACK PADDED VINYL UPHOLSTERY WITH PADDED HEADREST
- HYDRAULIC RECLINING MECHANISM ADJUSTS

CHAIR BACK INFINITELY UP TO 180 DEGREES

- BACK-BAR PREVENTS BACKREST FROM HAMMOCKING
- TOOL-FREE, ADJUSTABLE ELEVATING LEG REST WITH PADDED CALF PADS
- WHEELS WITH SOLID RUBBER TIRES
- 26" AND 28" WHEELCHAIRS HAVE 24" METAL SPOKE WHEELS WITH PNEUMATIC TIRES
- PUSH-TO-LOCK BRAKES
- INCLUDES ANTI-TIPPERS
- 15015-24DELR: WEIGHT CAPACITY 500 LB.
- 15015-26DELR AND 15015-28DELR:

WHEELCHRIR SPECIFICATIONS

| REORDER Number | PRODUCT | MAIN HCPCS | SEAT Dimen- Sions | SERT Material | RIGGING | ARMREST Tyde | ARMREST Feature | RXLE | MRXINUM CRPRCITY |
|-------------------|-----------|---------------|-------------------------|------------------|---------|-----------------|--------------------|--------|---------------------|
| 10233 | STANDARD | K0007 | 22" × 18" | VINYL | ELR | DESK | DETACHABLE | DURL | 500 LB. |
| 10234 | STANDARD | K0007 | 24" × 18" | VINYL | ELR | DESK | DETACHABLE | DUAL | 500 LB. |
| 10290 | HD | K0007 | 26" × 20" | NYLON | ELR | DESK | DETACHABLE | SINGLE | 600 LB. |
| 10291 | HD | K0007 | 28" × 20" | NYLON | ELR | DESK | DETACHABLE | SINGLE | 600 LB. |
| 10292 | HD | K0007 | 30" × 20" | NYLON | ELR | DESK | DETACHABLE | SINGLE | 600 LB. |
| 10293 | HD | K0007 | 32" × 20" | NYLON | ELR | DESK | DETACHABLE | SINGLE | 700 LB. |
| 10244 | TRANSPORT | E1039 | 22" × 18" | NYLON | FR | DESK | DETACHABLE | SINGLE | 450 LB. |
| 15015-24 | RECLINING | E1050 | 24" × 20" | VINYL | ELR | DESK | DETACHABLE | SINGLE | 500 LB. |
| 15015-26 | RECLINING | E1050 | 26" × 20" | VINYL | ELR | DESK | DETACHABLE | SINGLE | 700 LB. |
| 15015-29 | RECLINING | E1050 | 26" × 20" | VINYL | ELR | DESK | DETACHABLE | SINGLE | 700 LB. |

WHEELCHRIR ACCESSORIES

AIR CUSHIONS

REORDER NO. 10670 - 22" × 18" × 2"

REORDER NO. 10670-7 - 22" × 18" × 2" (7 (OUNT)

REORDER NO. 10671 - 22" × 18" × 4"

REORDER NO. 10671-7 - 22" × 18" × 4" (7 (OUNT)

FORM CUSHIONS

REORDER MO. 13053
REORDER MO. 13053-5 - 22" × 18" × 3" (\$ COUNT)
REORDER MO. 13054 - 24" × 18" × 3"
REORDER MO. 13054-5 - 24" × 18" × 3" (\$ COUNT)
REORDER MO. 13054-5 - 24" × 18" × 3" (\$ COUNT)
REORDER MO. 13055
REORDER MO. 13055-5 - 26" × 20" × 3" (\$ COUNT)

GEL FORM CUSHIONS

REORDER NO. 13050 - 22° × 18° × 3° REORDER NO. 13050-5 - 22° × 18° × 3° (5 (OUNT) REORDER NO. 13051 - 24° × 18° × 3° REORDER NO. 13051-5 - 24° × 18° × 3° (5 (OUNT) REORDER NO. 13052 - 26° × 20° × 3° REORDER NO. 13052-5 - 26° × 20° × 3° (5 (OUNT)





- 2' OR 4' INTERCONNECTED, INDEPENDENT RIR CELLS RLLOH FOR DEEP INMERSION INTO THE CUSHION
- INCLUDES REMOVABLE, LOH-SHEAR, VAPOR PERMEABLE COVER HITH NON-SKID BOTTOM
- CONVENIENT, ADJUSTABLE STRAP SECURES TO WHEELCHAIR
- INCLUDES REPAIR KIT FOR ADDED CONVENIENCE
- AVAILABLE IN NUMEROUS SIZES AND AIR CELL HEIGHTS
- 10670: WEIGHT CAPACITY 300 LB.
- 10671: WEIGHT CAPACITY 350 LB.
- 2-YEAR LIMITED WARRANTY
- HCPCS: E2623



- HELPS PREVENT AND MANAGE PRESSURE INJURIES
- HIGH-DENSITY FORM PROVIDES OPTIMAL PRESSURE REDISTRIBUTION
- INCLUDES REMOVABLE, THO-WAY STRETCH, VAPOR Permerble, Water-resistant cover
- COVER FEATURES ANTI-CONTAMINATION ZIPPER To promote optimal hygiene
- CONVENIENT, ADJUSTABLE STRAP SECURES TO WHEELCHAIR
- WEIGHT CAPACITY 500 LB.
- HORRONTY: 1-YEAR
- HCPCS: E2623



- DESIGNED TO PREVENT AND HANAGE PRESSURE INJURIES
- DUAL-CHAMBER GEL PACK ENCASED IN FORM PROVIDES OPTIMAL PRESSURE REDISTRIBUTION
- INCLUDES REMOVABLE, LON-SHEAR, VAPOR PERMEABLE, HATER-RESISTANT THO-HAY STRETCH MATERIAL
- COVER FEATURES ANTI-CONTAMINATION ZIPPER TO PROMOTE OPTIMAL HYGIENE
- CONVENIENT, ADJUSTABLE STRAP SECURES TO WHEELCHRIR FOR OPTIMAL SAFETY
- WEIGHT CAPACITY 500 LB.
- WARRANTY: 1-YEAR
- HCPCS: E2623

14 BARIATRIC BARIATRIC

WHEELCHAIR ACCESSORIES

WHEELCHRIR ANTI-TIPPER

REORDER NO. 10260

URINARY DRAINAGE BRG HOLDER

REORDER NO. 10261

WHEELCHRIR SERTBELT

REORDER NO. 10259 - 72"







- DURABLE STEEL CONSTRUCTION
- HELPS PREVENT USERS FROM TIPPING THE WHEELCHAIR BACKWARD
- ERSY TOOL-FREE INSTALLATION
- COMPATIBLE WITH MOST MANUAL WHEELCHRIRS
- HCPCS: E0971

- DISCREET UROLOGICAL BAG HOLDER DESIGNED TO IMPROVE PATIENT DIGNITY
- CONSTRUCTED WITH OPARUE, EASY-TO-CLEAN FABRIC
- DURABLE STRAPS SECURE TO WHEELCHAIRS, GERI-CHAIRS, AND BEDRAILS
- HCPCS: R4358

- MADE FROM DURABLE AND COMFORTABLE FABRIC
- ADJUSTABLE LOCK-AND-RELEASE STRAPS
- COMPATIBLE WITH MOST MANUAL WHEELCHAIRS
- OTHER AVAILABLE LENGTHS: 48" (10263), 60" (10262)
- HCDCS: E0978

UNIVERSAL WHEELCHAIR IV POLE

REORDER NO. 10559 - TELESCOPING IV POLE

WHEELCHRIR BRAKE LEVER EXTENSION

REORDER NO. 10269 – 8" Reorder no. 10270 – 11"

OXYGEN TANK HOLDER -WHEELCHRIR MOUNT

REORDER NO. 36622







- DURABLE STEEL CONSTRUCTION
- ERSY TO INSTALL AND ASSEMBLE
- COMPATIBLE WITH MOST MANUAL WHEELCHAIRS
- HCPCS: E0776

- ADDS LENGTH TO EXISTING STANDARD WHEEL LOCK LEVER
- ERSILY SLIPS ONTO THE EXISTING WHEEL LOCK LEVER
- HCPCS: E0961

- OXYGEN TANK HOLDER FOR "D" AND "E" CYLINDERS
- DURABLE YET LIGHTHEIGHT CART PROVIDES OPTIMAL PORTABILITY
- LARGE. COMPOSITE WHEELS ALLOW FOR SMOOTHER MANEUVERABILITY
- 80 LB. WEIGHT CAPACITY
- HCPCS: E1354



WHEELCHRIR RCCESSORIES

HD ELEVRTING LEG REST

REORDER NO. 10264



- HEAVY-DUTY STAINLESS-STEEL FRAME PROVIDES
 OPTIMAL SUPPORT FOR LARGER USERS
- BLACK FOOT PLATES ARE COMPOSED OF DURABLE, EASY-TO-CLEAN PVC
- CUSHIONED CALF PADS PROVIDE OPTIMAL COMFORT
- FOR USE HITH DYNAREX BARI+HAX BARIATRIC HD HHEELCHRIRS (10290-10293)
- HCPCS: K0195

WHEELCHRIR ACCESSORIES COMPRTIBILITY CHART

| BARIATRIC WHEELCHAIR ACCESSORY COMPATIBILITY CHART | | | | | | | | | | |
|--|-----------------------------|-------------------------|-------------------|-----------------------|-----------------------|-----------------------|--------------------|--|--|--|
| | | STANDARD 10233-10234 | HD 10290-10293 | RECLINING 15015-24 | RECLINING 15015-26 | RECLINING 15015-20 | TRANSPORT 10244 | | | |
| 10260 | ANTI-TIPPER | YES | YES | NO | MO | NO | YES | | | |
| 10261 | URINARY DRAINAGE BAG HOLDER | YES | YES | YES | YES | YES | YES | | | |
| 10259 | SERTBELT, 72" | YES | YES | YES | MO | NO | YES | | | |
| 10262 | SERTBELT, 60° | YES | YES | YES | MO | NO | YES | | | |
| 10559 | TELESCOPING IV POLE, 40-75 | YES | NO | NO | MO | NO | YES | | | |
| 10269 | BRAKE LEVER EXTENSION, 8" | YES | YES | YES | NO | NO | YES | | | |
| 10270 | BRAKE LEVER EXTENSION, 11" | YES | YES | YES | NO | NO | YES | | | |
| 36622 | OXYGEN TANK HOLDER | YES | NO | NO | NO | NO | YES | | | |

BARTATRIC



MOBILITY

ROLLATOR

REORDER NO. 10203 - 19.5" × 3" Reorder no. 10217 - 31" × 3"



THE DYNAREX BARI+MAX ROLLATOR IS A PREMIUM-QUALITY ROLLATOR DESIGNED TO PROVIDE IMPROVED STABILITY FOR LARGER INDIVIDUALS. THE 4-WHEELED ROLLATOR FEATURES AN ERGONOMIC DESIGN TO PROVIDE RELIABLE SUPPORT AND CONVENIENT MOBILITY. THE ROLLATOR FOLDS ERSILY FOR CONVENIENT STORAGE. - PREMIUM-RURLITY, 4-WHEELED ROLLATOR DESIGNED TO PROVIDE RELIABLE STABILITY FOR LARGER USERS

- ERGONOMIC, HEIGHT-ADJUSTABLE HANDLES
- TOOL-FREE, REMOVABLE, CURVED AND PADDED BACKREST
- ERSILY FOLDS FOR CONVENIENT TRANSPORT AND STORAGE
- COMFORTABLE CUSHIONED SERT ALLOWS FOR PERIODIC RESTING.
- BRAKES FEATURE QUICK STOPPING AND LOCKING FUNCTIONALITIES - CONVENIENT BASKET FOR
 - PERSONAL BELONGINGS
- 10203: STRONG-YET-LIGHTHEIGHT ALUMINUM FRAME WITH 500 LB. WEIGHT CAPACITY
- 10217: STURDY STEEL FRAME WITH 700 LB. WEIGHT CAPACITY FOR ADDED SUPPORT
- LIMITED LIFETIME WARRANTY
- HCPCS:: E0149 + E0156

MOBILITY

OFFSET CANE

REORDER NO. 10134 REORDER NO. 10134-6 (6 COUNT)



- CONSTRUCTED FROM ANODIZED ALUMINUM FOR OPTIMAL SUPPORT
- OFFSET HANDLE HELPS TO REDUCE HAND FATIGUE AND IMPROVE BALANCE
- TOOL-FREE PUSH-BUTTON HEIGHT ADJUSTMENT IN 1-INCH INCREMENTS
- NON-SKID RUBBER TIPS PROVIDE ADDED SAFETY
- COMES IN RETAIL-FRIENDLY PACKAGING
- WEIGHT CAPACITY: 500 LB.
- LIMITED LIFETIME WARRANTY
- HCPCS: E0100

QUAD CANE

REORDER NO. 10138 REORDER NO. 10138-2 (2 COUNT)



- CONSTRUCTED FROM HIGH-RUALITY ANODIZED ALUMINUM
- FERTURES LARGE, FOUR-LEGGED BASE WITH NON-SKID TIPS FOR ADDED SECURITY
- CONTOURED HANDLE HELPS TO PROVIDE IMPROVED BALANCE
- TOOL-FREE PUSH-BUTTON HEIGHT ADJUSTMENT IN 1-INCH INCREMENTS
- LOCKING KNOB PROVIDES ADDED STABILITY AND HELPS TO PREVENT RATTLING
- COMES IN RETAIL-FRIENDLY PACKAGING
- WEIGHT CAPACITY 500 LB.
- LIMITED LIFETIME WARRANTY
- HCPCS: E0105


HD STEEL CRUTCHES

REORDER NO. 10105 - TALLADULT REORDER NO. 10106 - ADULT



- CONSTRUCTED FROM DURABLE STEEL FOR OPTIMAL SUPPORT
 - CUSHIONED UNDERARM PADS PROVIDE IMPROVED COMFORT
 - TOOL-FREE ADJUSTABLE HAND GRIPS HELP ENSURE A PROPER FIT
 - LARGE, ANTI-SLIP VINYL (RUTCH TIPS FOR ADDED SAFETY
 - CONVENIENT PUSH-BUTTON HEIGHT ADJUSTMENTS IN 1-INCH INCREMENTS
 - 10106 ADULT: 44" 52"
 - 10105 TALL ADULT: 52" 60"
 - WEIGHT CAPACITY 1000 LB.
 - LIMITED LIFETIME WARRANTY
 - HCPCS: E0116





MOBILITY

DUAL RELEASE FOLDING WALKER

REORDER NO. 10165



- STURDY ALUMINUM STRUCTURE PROVIDES RELIABLE Stability, while remaining lightheight
- TOOL-FREE PUSH BUTTON ALLONS FOR HEIGHT Adjustments in 1-inch increments
- CONTOURED HANDGRIPS ALLOW FOR ADDED PATIENT COMFORT
- OPENS AND CLOSES HITH A PUSH BUTTON MECHANISM, ERSILY OPERATED BY FINGERS OR PALMS
- THO-BUTTON FOLDING CAPABILITIES ALLOH PATIENTS TO FOLD EACH SIDE INDEPENDENTLY
- WEIGHT CRPACITY: 500 LB.
- LIMITED LIFETIME WARRANTY
- HCPCS: E0149

DUAL RELEASE FOLDING WALKER WITH WHEELS

REORDER NO. 10166



- STURDY ALUMINUM STRUCTURE PROVIDES RELIABLE STABILITY, WHILE REMAINING LIGHTMEIGHT
- TOOL-FREE PUSH BUTTON ALLOWS FOR HEIGHT ADJUSTMENTS IN 1-INCH INCREMENTS
- CONTOURED HANDGRIPS ALLOH FOR ADDED PATIENT COMFORT
- OPENS AND CLOSES WITH A PUSH BUTTON MECHANISM, ERSILY OPERATED BY FINGERS OR PALMS
- THO-BUTTON FOLDING CAPABILITIES ALLOW PATIENTS
 TO FOLD EACH SIDE INDEPENDENTLY
 - DUAL 5-INCH FRONT NHEELS PROVIDE INCREASED Ease of movement on a variety of surfaces
- WEIGHT CAPACITY: 500 LB.
- LIMITED LIFETIME WORRONTY
- HCPCS: E0149

HD STEEL WALKER

REORDER NO. 10169



- DUAL-PURPOSE HALKER (AN BE (USTOMIZED AS STANDARD HALKER OR ROLLING HALKER
- COMES EQUIPPED HITH 4 STABILIZING LEGS AND 2 LEGS HITH WHEELS
- STURDY STEEL STRUCTURE PROVIDES RELIABLE STABILITY
- STRONG FRONT (ROSS BRACES AND DUAL SIDE Braces provide added support
- DESIGNED WITH AN EXTRA-WIDE FRAME For a more comfortable fit
- TOOL-FREE PUSH BUTTON ALLOWS FOR HEIGHT ADJUSTMENTS IN 1-INCH INCREMENTS
- CONTOURED HANDGRIPS ALLOW FOR ADDED PATIENT COMFORT
- OPENS AND CLOSES HITH A PUSH BUTTON MECHANISM, EASILY OPERATED BY FINGERS OR PALMS
- THO-BUTTON FOLDING CAPABILITIES ALLOW PATIENTS TO FOLD EACH SIDE INDEPENDENTLY
- WEIGHT CAPACITY 700 LB.
- LIMITED LIFETIME WARRANTY
- HCPCS: E0149



REORDER NO. 10213 - 1 PER CASE REORDER NO. 10213-2 - 2 PER CASE



- DESIGNED TO PROVIDE CONFORTABLE FOREARM POSITIONING FOR WALKER USERS
- CONTOURED VINYL PADDING PROVIDES IMPROVED COMFORT
- EASY-TO-CLEAM, PERSPIRATION-RESISTANT HAND GRIPS FOR OPTIMAL HYGIENE
- EQUIPPED WITH ADJUSTABLE STRAP TO SECURELY HOLD ARM IN PLACE
- WEIGHT CAPACITY 500 LB.
- LIMITED LIFETIME WARRANTY
- HCPCS: E0149

24 BARIATRIC BRRIATRIC

FULL ELECTRIC HOME CARE BEDS

THE DYNAREX BARI+MAX BARIATRIC
FULL ELECTRIC HOME CARE BED IS A
HEIGHT-ADJUSTABLE, MULTI-FUNCTION
BEDFRAME DESIGNED TO OPTIMIZE
CONVENIENCE FOR USERS AND CAREGIVERS.
THE FULL ELECTRIC BED FEATURES
A STEEL, SPLIT-FRAME DESIGN AND
INCLUDES A CONVENIENT HAND PENDANT
FOR EASY POSITION ADJUSTMENT. AN
EMERGENCY HAND CRANK PROVIDES
ADDED SECURITY FOR CONTINUOUS
USE IN CASE OF POWER OUTAGES.
- FEATURES HERVY-DUTY PAN DECK STEEL
CONSTRUCTION FOR OPTIMAL DURABILITY

- SPLIT-FRAME DESIGN ALLOWS FOR EASY TRANSPORT
- BED HEIGHT ADJUSTS FROM 18' TO 26" TO SUIT A VARIETY OF NEEDS
- CONVENIENT HAND PENDANT ALLOWS FOR QUICK AND EASY POSITION ADJUSTMENT
- EMERGENCY HAND CRANK ALLOWS FOR UNINTERRUPTED FUNCTIONALITY DURING POWER OUTRGES
- WEIGHT CAPACITY 600 LB.
- HARRANTY: LIMITED LIFETIME ON HELDS, 5 YEARS ON FRAME, 1 YEAR ON ALL OTHER COMPONENTS
- HCPCS: 10404 E0301 10404-HR - E0301 10404-HRDP - E0303

FULL ELECTRIC HOME CARE BED

42"

REORDER NO. 10404

REORDER NO. 10404-HR
REORDER NO. 10404-HROP - BED HITH ROLL HATTRESS



THE DYNAREX BARI+MAX BARIATRIC HD FULL ELECTRIC HOME (ARE BED IS A HEIGHT-ADJUSTABLE, MULTI-FUNCTION BEDFRAME DESIGNED TO OPTIMIZE CONVENIENCE FOR USERS AND CAREGIVERS. THE FULL ELECTRIC BED FEATURES A STEEL, SPLIT-FRAME DESIGN AND INCLUDES A CONVENIENT HAND PENDANT FOR EASY POSITION ADJUSTMENT.

- FERTURES HERVY-DUTY SLRT DECK STEEL
- CONSTRUCTION FOR OPTIMAL DURABILITY
 SPLIT-FRAME DESIGN ALLOWS
- BED HEIGHT ADJUSTS FROM 18' TO 26' TO SUIT A VARIETY OF NEEDS

FOR EASY TRANSPORT

- CONVENIENT HAND PENDANT ALLOHS FOR QUICK AND ERSY POSITION ADJUSTMENT
- OPTIONAL EMERGENCY BACK-UP BATTERY (12917) ALLOWS FOR UNINTERRUPTED FUNCTIONALITY DURING POWER OUTAGES
- #10405: WEIGHT CAPACITY 750 LB.
- #10403: WEIGHT CAPACITY 1000 LB.
- WARRANTY: LIMITED LIFETIME ON HELDS, 5 YEARS ON FRAME, 1 YEAR ON ALL OTHER COMPONENTS
- HCPCS: 10403 AND 10405 E0302 10403-HR AND 10405-HR - E0302 10403-HRHD AND 10405-HRDP - E0304

HD FULL ELECTRIC HOME CARE BEDS

4

REORDER NO. 10405
REORDER NO. 10405-HR
REORDER NO. 10405-HRDP - BED WITH RRIL AND FORM MRTTRESS

54"

REORDER NO. 10403 - BED ONLY REORDER NO. 10403-HR - BED HITH RAIL REORDER NO. 10403-HRHD - BED HITH RAIL AND FORM MATTRESS



HOME CARE BED RAILS

HOME CARE HALF LENGTH BED RAIL

REORDER NO. 10468



- ASSISTIVE RAIL HELPS TO PREVENT USERS FROM FALLING OR ROLLING OUT OF BED
- ATTRACTIVE BLACK POWDER-COAT FINISH
- IDEAL PROTECTION WITHOUT CONFINING THE PATIENT
- PROVIDES OPTIMAL PROTECTION WHEN BED IS ELEVATED
- DURABLE STEEL CONSTRUCTION
- ERSILY ADJUSTS UP AND DOWN WITH RELEASE LEVER
- FEATURES A MOUNTING BRACKET THAT SUPPORTS HEAVIER USERS
- DESIGNED TO BE USED WITH THE DYNAREX BARI+MAX BARIATRIC FULL ELECTRIC BED - 42" (10404)
- LIMITED LIFETIME WARRANTY
- HCPCS: E0305

HD HOME CARE HALF LENGTH BED RAIL

REORDER NO. 10488



- ASSISTIVE RAIL HELPS TO PREVENT USERS FROM FALLING OR ROLLING OUT OF BED
- ATTRACTIVE BLACK POWDER-COAT FINISH
- IDEAL PROTECTION WITHOUT CONFINING THE PATIENT
- PROVIDES OPTIMAL PROTECTION WHEN BED IS ELEVATED
- DURABLE STEEL CONSTRUCTION
- EASILY ADJUSTS UP AND DOWN WITH RELEASE LEVER
- FEATURES A MOUNTING BRACKET THAT SUPPORTS HERVIER USERS
- DESIGNED TO BE USED WITH DYNAREX BARI+MAX BARIATRIC FULL ELECTRIC HOME (ARE BEDS - 54" (10403) AND 48" (10405)
- LIMITED LIFETIME WARRANTY
- HCPCS: E0305



HD LONG-TERM CARE BED DB300

THE DYNAREX BARI +MAX DB300 BARIATRIC HD LONG-TERM CARE BED IS A DURABLE, ONE-PIECE STEEL BEDFRAME DESIGNED FOR LONG-TERM CARE USE. THE LONG-TERM CARE BED CAN BE USED WITH PATIENTS. THE DB300 BED IS IDEAL FOR A WIDE RANGE OF LONG-TERM CARE FACILITIES. - CONSTRUCTED FROM DURABLE, WELDED

STEEL FOR OPTIMAL SUPPORT

- AUTO-CONTOUR FUNCTION RAISES HEAD AND FEET SIMULTANEOUSLY FOR ADDED COMFORT
- INCLUDES 10-FUNCTION HAND CONTROL PENDANT FOR OPTIMAL CONVENIENCE
- FUNCTIONS INCLUDE TRENDELENBURG AND REVERSE TRENDELENBURG POSITIONS - EQUIPPED WITH A CENTRAL
 - LOCKING SYSTEM (CLS)
- TOOL-FREE REMOVABLE HEÁD AND FOOT BOARDS FOR OPTIMAL VERSATILITY
- FEATURES WALL BUMPER GUARDS TO PROTECT WALLS FROM SCUFFS AND SCRATCHES
- INTEGRATED, TOOL-FREE WIDTH EXTENSION: 36"-42"-48"
- INTEGRATED, TOOL-FREE LENGTH EXTENSION: 80"-84"-98"
- WEIGHT CAPACITY: 750 LB.
- SAFE WORKING LOAD: 650 LB.
- HARRANTY: 15 YEARS ON ALL HELDS: 3 YEARS ON ELECTRICAL AND MECHANICAL: 1 YEAR ON ALL OTHER PARTS AND COMPONENTS

CREATING REORDER NUMBERS FOR YOUR BED COMBINATIONS

STEP 1: START WITH THE BED REORDER NUMBER (12013)

STEP 2: ADD THE 2 LETTER CODE FOR THE BORRDS OF YOUR CHOICE



MH - MRHOGRNY







OA - LIGHT ORK CM - COMPOSITE



STEP 3: ADD THE 2 LETTER CODE FOR THE RAIL/BAR OF YOUR CHOICE



MR - METAL SHING RAIL



SHING RAIL





AB - ROTATING ASSIST BAR

PB - PIVOT ASSIST BAR

EXAMPLE: 12013-MHMR



HD LONG-TERM CARE BED DB600

THE DYNAREX BARI + HAX DB600
BARIATRIC HD LONG-TERM CARE BED IS
A DURABLE, ONE-PIECE STEEL BEDFRAME
DESIGNED FOR LONG-TERM CARE USE. THE
LONG-TERM CARE BED CAN BE USED HITH
A VARIETY OF PRESSURE REDISTRIBUTION
MATTRESSES TO ACCOMMODATE BARIATRIC
PATIENTS. THE DB600 BED IS IDEAL FOR A
HIDE RANGE OF LONG-TERM CARE FACILITIES.
- CONSTRUCTED FROM DURABLE, HELDED

STEEL FOR OPTIMAL SUPPORT

- RUTO-CONTOUR FUNCTION RAISES HERD AND FEET SINULTANEOUSLY FOR ADDED COMFORT
- INCLUDES 10-FUNCTION HAND CONTROL PENDANT FOR OPTIMAL CONVENIENCE
- FUNCTIONS INCLUDE TRENDELENBURG AND
 REVERSE TRENDELENBURG POSITIONS
 EQUIPPED WITH 8 CASTERS, INCLUDING
 4 TOTAL-LOCKING SHIVEL CASTERS
- TOOL-FREE REMOVABLE HEAD AND FOOT BOARDS FOR OPTIMAL VERSATILITY
- FERTURES WALL BUMPER GUARDS TO PROTECT WALLS FROM SCUFFS AND SCRATCHES
- INTEGRATED, TOOL-FREE HIDTH EXTENSION: 42"-48"-54"
- INTEGRATED, TOOL-FREE LENGTH
- EXTENSION: 80"-84"-88" - WEIGHT CAPACITY: 1000 LB.
- SAFE WORKING LOAD: 950 LB.
- HARRANTY: 15 YEARS ON ALL HELDS; 3 YEARS ON ELECTRICAL AND MECHANICAL; 1 YEAR ON ALL OTHER PARTS AND COMPONENTS



REORDER NO. 12014

REORDER NO. 12014-CH

REORDER NO. 12014-CHCR - BED HITH CHERRY BOARDS

REORDER NO. 12014-CHCR - BED HITH CHERRY BOARDS AND COMPOSITE RAIL

TOOL-FREE EXPANDABLE HEADBOARD **HIDTH EXPANSION HITH ADJUSTABLE HIDTHS** $42" \times 48" \times 54"$ FROM 48" TO 54" TOOL-FREE LENGTH EXTENSION TRUE VERTICAL LIFT 91"-94"-99" FROM 9.5"-26" TOOL-FREE BOARD ASSEMBL **HALL BUMPER GUARD PROTECTION** 4 TOTAL-LOCKING SHIVEL CASTERS

ACCESSORIES FOR DB600

HD COMPOSITE SWING DOWN RAIL FOR DB600

REORDER NO. 12954

HD HEADBOARD/ FOOTBOARD FOR DB600

REORDER NO. 12930-CH



- ASSISTIVE RAIL HELPS TO PREVENT USERS From Falling or rolling out of bed
- PROVIDES OPTIMAL PROTECTION WHEN BED IS ELEVATED
- CONSTRUCTED FROM HEAVY-DUTY, DURABLE COMPOSITE MATERIALS
- ERSILY ADJUSTS UP AND DOWN WITH RELEASE LEVER
- FEATURES A MOUNTING BRACKET THAT SUPPORTS HEAVIER USERS
- DESIGNED TO BE USED WITH THE DYNAREX BARI +MAX DB600 BARIATRIC HD LONG-TERM CARE BED - 54" (12014)
- LIMITED LIFETIME WARRANTY



- DESIGNED TO BE USED WITH THE DYNAREX BARI +MAX DB600 BARIATRIC HD LONG-TERM CARE BED 54' (12014)
- HIGH-PRESSURE LAMINATE MATERIALS PROVIDE DURABLE. RELIABLE HEAR
- TOOL-FREE DESIGN ALLOWS FOR EASY SET UP AND ADJUSTMENTS
- EXPANDABLE HEADBOARD HITH ADJUSTABLE Hidths from 48' to 54'
- EXTENSIONS CAN BE STORED ON THE BACK
 OF HEADBOARD FOR EASY ACCESS
- CONVENIENT, EASY-TO-CLEAN SURFACE FOR OPTIMAL HYGIENE
- LOCKING PINS PROVIDE ADDED SECURITY TO HELP PREVENT ACCIDENTAL DETACHMENT



32 BARIATRIC BARIATRIC



MATTRESSES

PLUS FORM MATTRESSES

REORDER NO. 10431 - 42" × 80" REORDER NO. 10432 - 48" × 80"



- DESIGNED TO HELP PREVENT AND MANAGE PRESSURE HOUNDS
- CONSTRUCTED FROM THREE LAYERS OF VARIABLE DENSITY FORM
- FORM TOP FERTURES PRECISION DIRMOND CUTS AND MEMORY FORM HEEL ZONE
- FIRM EDGE GUARD PROVIDES ADDED STABILITY DURING TRANSFERS
- REMOVABLE, FLUID-RESISTANT, TWO-WAY STRETCH COVER WITH ANTI-CONTAMINATION ZIPPER
- 42" AND 48" HIDTHS ACCOMMODATE A HIDE RANGE OF INDIVIDUALS
- WEIGHT CAPACITY: 600 LB.
- 3-YEAR LIMITED FORM WARRANTY, 1-YEAR COVER WARRANTY
- MEETS 16 CFR 1632 AND 16 CFR 1633 STANDARDS
- HCPCS: E0184

HD MULTIZONE FORM MATTRESS

REORDER NO. 10437 - 54" × 80"



- DESIGNED TO HELP PREVENT AND MANAGE PRESSURE HOUNDS
- CONSTRUCTED WITH VARIABLE DENSITY FORM FOR OPTINAL SUPPORT
- THO-HAY STRETCH COVER IS DESIGNED TO REDUCE SHEAR FRICTION AND FACILITATE AIR FLOW
- FLUID-RESISTENT COVER FERTURES AN ANTI-CONTAMINATION ZIPPER FOR OPTIMAL HYGIENE
- 54" HIDTH HELPS TO ACCOMMODATE LARGER PATIENTS
- HEIGHT CAPACITY: 1000 LB.
- 3-YEAR LIMITED FORM HARRANTY. 1-YEAR COVER HARRANTY
- MEETS 16 CFR 1632 AND 16 CFR 1633 STANDARDS
- HCPCS: E0184

PLUS RIRFLORT AIR MATTRESS WITH PUMP

REORDER NO. 10445 - 42" imes 80" reorder no. 10446 - 48" imes



- DESIGNED TO HELP PREVENT AND RELIEVE PRESSURE HOUNDS AND ULCERS
- EQUIPPED HITH 16 10-INCH PRESSURE CYCLING AIR CELLS, AND 4 STATIC CELLS AT THE HEAD SECTION
- FERTURES FOUR INFLATION MODES: ALTERNATING CYCLE, STATIC MODE. SEAT FUNCTION. AND MAX FIRM
- ALTERNATING PRESSURE HELPS TO REDISTRIBUTE WEIGHT FOR IMPROVED CIRCULATION
- STATIC MODE PROVIDES STEADY, CONSISTENT PRESSURE THROUGHOUT ALL AIR CELLS
- SERT FUNCTION ADJUSTS THE ALTERNATING AIR CELLS FOR IDEAL SUPPORT IN A SEATED POSITION
- MAX FIRM FEATURE FILLS THE AIR CELLS TO THE HAXIMUM FIRMNESS FOR SAFE TRANSFERS
- DIGITAL BUTTON PUMP FEATURES 10. 15. 20. AND 25-MINUTE CYCLE TIMES
- CPR VALVE ALLOHS FOR RAPID DEFLATION
- AUDIBLE ALARM SOUNDS TO ALERT IN CASE OF POWER FAILURE OR MALFUNCTION
- WEIGHT CAPACITY 800 LB.
- LIMITED WARRANTY: 24 MONTHS
- HCPCS: E0277



MATTRESSES

THE DYNAREX BARI +MAX HD AIRFLOAT AIR PREMIUM-QUALITY AIR MATTRESS DESIGNED
HITH PATIENT COMFORT IN MIND. THE DIGITAL AIR
PUMP WITH AIR PRESSURE CONTROLS FERTURES
HEIGHT INDICATORS TO DIRECTLY CUSTOMIZE
THE FIRMNESS OF THE MATTRESS FOR MAXIMUM COMFORT. THE MATTRESS IS DESIGNED WITH FOUR INFLATION SETTINGS: STATIC, ALTERNATING, MAX FIRM, AND SEAT INFLATE FUNCTION. - DESIGNED TO HELP PREVENT AND RELIEVE

PRESSURE WOUNDS AND ULCERS

- CELLS, AND 4 STATIC CELLS AT THE HEAD SECTION
- FEATURES FOUR INFLATION MODES: ALTERNATING CYCLE, STATIC MODE, SEAT FUNCTION, AND MAX FIRM
- WEIGHT FOR IMPROVED CIRCULATION
- CELLS FOR IDEAL SUPPORT IN A SEATED POSITION
- MAX FIRM FEATURE FILLS THE AIR CELLS TO THE
- DIGITAL BUTTON PUMP FEATURES 10, 15, 20, AND 25-MINUTE CYCLE TIMES
- OF POWER FAILURE OR MALFUNCTION

HD AIRFLOAT AIR MATTRESS WITH PUMP

REORDER NO. 10439 - 54" × 80"





GERI CHRIR RECLINER

REORDER NO. 10524 - BLUERIDGE



THE DYNAREX BARI+MAX GERI CHAIR RECLINER IS DESIGNED TO PROVIDE OPTIMAL COMFORT AND STABILITY, AS WELL AS MAXIMUM FLEXIBILITY. CONSTRUCTED WITH A STURDY STEEL FRAME, INCLUSIVE OF REMOVABLE SIDE PANELS, IT IS DURABLE AND EASY TO CLEAN AND MAINTAIN.

- NEUTRAL-COLORED, STURDY STEEL

- FRAME PROVIDES OPTIMAL SUPPORT
- THREE CHAIR POSITIONS FOR OPTIMAL FLEXIBILITY
- RETRACTABLE LOCK BAR SECURES THE CHAIR IN THE DESIRED POSITION
- HIDE, PADDED ARMRESTS AND BUILT-IN HEADREST FOR MAXIMUM SUPPORT AND COMFORT
- BLOW-MOLDED TRRY LOCKS IN 5 POSITIONS
- SIDE PANELS ARE REMOVABLE FOR EASY CLEANING AND MAINTENANCE
- 5" CASTERS (2 LOCKING AND 2 NON-LOCKING)
- MOISTURE BARRIER ON VINYL SEAT HELPS PREVENT FLUID SEEPAGE
- FOAM AND VINYL MEET CALIFORNIA Technical bulletin #117
- WEIGHT CAPACITY 500 LB.
- HARRANTY: LIMITED LIFETIME ON FRAME; 1 YEAR ON UPHOLSTERY AND MOVING PARTS
- HCPCS: E1031

HD OVERBED TABLE

REORDER NO. 10458CH



REORDER NO. 10712



- DURABLE STEEL TABLE FEATURES HERVY DUTY, STEEL-Helded H-Base Frame for reliable support
- HEIGHT AND POSITION ARE EASY TO ADJUST FOR IMPROVED ACCESS AND COMFORT
- SPRING-LOADED LOCKING LIFT MECHANISM ADJUSTS TABLE HEIGHT: 29'-45'
- TABLETOP IS GENEROUSLY SIZED TO ACCOMMODATE LARGER PATIENTS: 15' × 45'
- COMPATIBLE WITH MOST BARIATRIC-SIZED BEDS
- DISTRIBUTED TABLETOP WEIGHT CAPACITY: 500 LB.
- LIMITED LIFETIME WARRANTY
- HCPCS: E0274



- DESIGNED TO HELP BARIATRIC PATIENTS SHIFT POSITIONS WHILE IN BED
- EASY TO ADJUST HITH SLIDING BRACKET
- FEATURES REAR WHEELS FOR ADDED MOBILITY
- HEIGHT CAPACITY OF BAR: 700 LB. CAN ASSIST AN INDIVIDUAL ≤ 1000 LB.
- LIMITED LIFETIME WARRANTY
- HCPCS: E0912



38 BARIATRIC BARIATRIC 39



ELECTRIC PATIENT LIFT

REORDER NO. 10701 Reorder no. 10701-SC - Hith Scale



THE DYNAREX BARI+MAX ELECTRIC PATIENT LIFT IS DESIGNED TO HELP PROVIDE SAFE PATIENT HANDLING DURING TRANSFERS. THE LIFT ACCOMMODATES AN OVERALL WEIGHT CAPACITY OF 600 LB. FOR STURDY, RELIABLE SUPPORT, DESIGNED TO MEET THE NEEDS OF CAREGIVERS AND PATIENTS, THE ELECTRIC PATIENT LIFT IS IDEAL FOR A HIDE RANGE OF LONG-TERM CARE AND HEALTHCARE ENVIRONMENTS. - HERVY-DUTY STEEL FRAME HELPS

- TO PROVIDE OPTIMAL SUPPORT
- BASE LEGS ADJUST EASILY INTO OPEN POSITION WITH PADDED SHIFTER HANDLE
- ERSILY CONTROL BOOM VIA HAND PENDANT
- DUAL 3" FRONT CASTERS AND LOCKABLE 5" REAR CASTER
- INCLUDES 6-POINT SPREADER BAR TO
- OFFSET BASE IS SUITABLE FOR BEDS WITH 5" CLEARANCE
- OPTIONAL ACCESSORIES INCLUDE SCALE, CHARGER, AND SLINGS
- WEIGHT CAPACITY 600 LB.
- WARRANTY: 5 YEARS ON STRUCTURAL STEEL, 1 YEAR ON ELECTRICAL AND
- MECHANICAL PARTS/COMPONENTS
- HCPCS: E0635

THE DYNAREX BARI+MAX HD ELECTRIC PATIENT LIFT IS DESIGNED TO HELP TRANSFERS. THE LIFT ACCOMMODATES AN OVERALL WEIGHT CAPACITY OF 1000 LB. FOR STURDY, RELIABLE SUPPORT. DESIGNED TO MEET THE NEEDS OF CAREGIVERS AND PATIENTS, THE ELECTRIC PATIENT LIFT IS IDEAL FOR A WIDE RANGE OF LONG-TERM CARE AND HEALTHCARE ENVIRONMENTS. - HERVY-DUTY STEEL FRAME HELPS

- TO PROVIDE OPTIMAL SUPPORT
- FEATURES SAFETY STOP FOR ADDED SECURITY
- ALLOWS CAREGIVERS TO SAFELY LIFT PATIENTS FROM FLOOR AND OTHER SURFACES
- DUAL 3" FRONT CASTERS AND LOCKABLE 5" REAR CASTERS
- CHARGES QUICKLY AND EASILY FROM AC OUTLET OR OPTIONAL DESK CHARGER
- WEIGHT CAPACITY: 1000 LB.
- STEEL, 1 YEAR ON ELECTRICAL AND
- MECHANICAL PARTS/COMPONENTS

HD ELECTRIC PATIENT LIFT

REORDER NO. 10707 REORDER NO. 10707-SC - WITH SCALE




PRTIENT LIFT SCRLE

REORDER NO. 10708



- ALLOWS PATIENT'S WEIGHT TO BE MONITORED DURING TRANSFERS
- BATTERY OPERATED
- WEIGHS PATIENTS UP TO 1000 LB.
- LIMITED LIFETIME WARRANTY



FULL BODY SLINGS - MESH

REORDER NO. 10740XXX - 2X-LARGE
REORDER NO. 10740XXXL - 3X-LARGE



- DESIGNED TO ASSIST IN SAFE PATIENT TRANSFERS FROM BED, WHEELCHAIR, OR FLOOR
- MANUFACTURED FROM STRONG, DURABLE FABRIC FOR RELIABLE SUPPORT
- FEATURES BREATHABLE MESH MATERIAL FOR OPTIMAL COMFORT
- DESIGNED TO FIT MOST ELECTRIC PATIENT Lifts for optimal versatility
- FEATURES CONVENIENT BACK STRAP FOR EASIER POSITIONING
- INTEGRATED COLOR-CODED HOOKS HELP
 ASSURE CORRECT PATIENT POSITIONING
- COLOR-CODED PERIMETER BINDINGS ALLOW For easy Size-Identification
- IDEAL FOR USE IN A VARIETY OF LONG-TERM CARE SETTINGS
- WEIGHT CAPACITY 600 LB.
- 10740XXXL: WEIGHT CAPACITY 1000 LB.
- HCPCS: E0621

FULL BODY SLINGS -SOLID FABRIC

REORDER NO. 10741XX - 2X-LARGE



- DESIGNED TO ASSIST IN SAFE PATIENT TRANSFERS From Bed, Wheelchair, or Floor
- MANUFACTURED FROM STRONG, DURABLE FABRIC FOR RELIABLE SUPPORT
- FEATURES SOLID POLYESTER MATERIALS WITH SUEDE INNER LAYER FOR MOISTURE WICKING
- DESIGNED TO FIT MOST ELECTRIC PATIENT LIFTS FOR OPTIMAL VERSATILITY
- FEATURES CONVENIENT BACK STRAP FOR EASIER POSITIONING
- INTEGRATED COLOR-CODED HOOKS HELP ASSURE CORRECT PATIENT POSITIONING

FOR EASY SIZE-IDENTIFICATION

- RSSURE CORRECT PATIENT POSITIONING
 COLOR-CODED PERIMETER BINDINGS ALLOW
- IDEAL FOR USE IN A VARIETY OF LONG-TERM CARE SETTINGS
- HEIGHT CAPACITY: 600 LB.
- HCPCS: E0621

FULL BODY SLINGS WITH COMMODE OPENING - MESH

REORDER NO. 10742XX - 2X-LARGE



- DESIGNED TO ASSIST IN SAFE PATIENT TRANSFERS AND ALLOW FOR TOILETING NEEDS
- STRONG, DURABLE FABRIC FOR RELIABLE SUPPORT FOR TRANSFERS FROM BED. NHEELCHAIR, OR FLOOR
- FERTURES BREATHABLE MESH NATERIAL FOR OPTIMAL COMFORT
- DESIGNED TO FIT MOST ELECTRIC PATIENT LIFTS FOR OPTIMAL VERSATILITY
- FEATURES CONVENIENT BACK STRAP FOR EASIER POSITIONING
- COLOR-CODED PERIMETER BINDINGS ALLOW FOR EASY SIZE-IDENTIFICATION
- IDEAL FOR USE IN A VARIETY OF LONG-TERM CARE SETTINGS
- WEIGHT CAPACITY 600 LB.
- HCPCS: E0621

DIVIDED LEG SLING

REORDER NO. 10743XX - 2X-LARGE



- DURABLE POLYESTER MATERIAL PROVIDES OPTIMAL PATIENT SUPPORT
- INNER SUEDE LAYER OFFERS MAXIMUM COMFORT
- MOISTURE-HICKING LINING HELPS PROTECT SKIN FROM IRRITATION
- SAFELY TRANSPORTS PATIENTS FROM BEDS AND WHEELCHAIRS
- SLING PROVIDES HEAD, NECK, AND THIGH SUPPORT
- BINDING COLORS EASILY IDENTIFY SIZE
- FERTURES STRAPS WITH INTEGRATED COLOR-CODED HOOKS TO HELP MAINTAIN PATIENT LEVEL
- WEIGHT CAPACITY 600 LB.
- HCPCS: E0621

U-SLING WITHOUT HEAD SUPPORT

REORDER NO. 10744XL – X-LARGE



- HADE FROM DURABLE POLYESTER FOR OPTIMAL SUPPORT
- SMOOTH MATERIAL HELPS PREVENT CHAFING FOR IMPROVED COMFORT
- U-SHAPED FOR CONVENIENT SLING REMOVAL HHEN PATIENT IS IN A HHEELCHAIR OR BED
- REINFORCED HOOK STRAPS ALLOW FOR BALANCED CONNECTION TO SPREADER BAR
- BACK STRAP ALLOWS FOR EASIER REPOSITIONING
- WEIGHT CAPACITY 600 LB.
- HCPCS: E0621

U-SLING WITH HEAD SUPPORT

REORDER NO. 10745XL - X-LARGE



- HADE FROM DURABLE POLYESTER FOR OPTIMAL SUPPORT
- SMOOTH MATERIAL HELPS PREVENT CHAFING FOR IMPROVED COMFORT
- U-SHAPED FOR CONVENIENT SLING REMOVAL WHEN PATIENT IS IN A WHEELCHAIR OR BED
- FERTURES FULL HERD SUPPORT FOR PATIENTS
 WITH LIMITED UPPER-BODY STRENGTH
- REINFORCED HOOK STRAPS ALLOH FOR BALANCED CONNECTION TO SPREADER BAR
- BACK STRAP ALLOHS FOR EASIER REPOSITIONING
- WEIGHT CAPACITY 600 LB.
- HCPCS: E0621

ROSTOTSTC

LIFE IMPROVEMENT

FOOT STOOLS

REORDER NO. 10551 REORDER NO. 10553 - WITH HANDLE



THE DYNAREX BARI +MAX FOOT STOOL IS A HIGH-QUALITY, STURDY STOOL DESIGNED TO SAFELY PROVIDE ADDITIONAL HEIGHT FOR LARGER INDIVIDUALS, CONSTRUCTED WITH A HEAVY-DUTY STEEL FRAME AND CROSS BRACE FOR ADDED STABILITY. THIS FOOT STOOL FERTURES REINFORCED RUBBER TIPS TO HELP PREVENT SLIPPAGE FOR OPTIMAL SAFETY. - HERVY-DUTY STEEL FRAME WITH CROSS

BRACE PROVIDES OPTIMAL SUPPORT

- NON-SKID RUBBER PLATFORM FOR IMPROVED STABILITY
- TUBULAR LEGS FEATURE REINFORCED RUBBER TIPS TO HELP PREVENT SLIPPAGE
- BLACK POWDER COAT FINISH FOR LONG-LASTING PROTECTION
- 10553: BUILT-IN HANDLE PROVIDES ADDITIONAL STABILITY AND BALANCE - WEIGHT CAPACITY 500 LB.
- LIMITED LIFETIME WARRANTY